ARCHITECTURAL SERIES

PRODUCT CATALOGUE

SHAPING **ARCHITECTURAL** PERSPECTIVES

BANCO ALUMINIUM

More Than

58 Years of Excellence

ABOUT US

Founded in 1967, Banco Aluminium Private Limited is one of the first aluminium extruders in India, with more than five decades of experience in manufacturing standard and custom-made aluminium extrusion profiles.

With our commitment to modern production processes, research and development, quality control, and ongoing training and qualification of our team, Banco Aluminium has become the preferred supplier across multiple segments and industries.

WHAT WE MAKE

Aluminium windows and doors, façades, railings, louvers, and a wide range of architectural aluminium profiles.

OUR CAPABILITIES

- **In-house billet casting and extrusion**
  We produce our own raw aluminium, giving us full control over quality
- **Precision die design and tooling**
  We design our own custom moulds for exact profile shapes
- **Advanced profile manufacturing**
  We produce complex shapes to tight engineering tolerances
- **Surface finishing (Anodizing & Powder Coating)**
  Profiles are treated for long life, colour consistency, and weather resistance
- **Quality control and testing systems**
  Every product is tested before it leaves our facility



ENGINEERING MODERN LIVING SPACES

Banco Aluminium specialises in crafting high-performance aluminium systems tailored for modern architecture. We offer precision-engineered solutions for windows, doors, and partition systems, all designed to fulfil the requirements of contemporary construction projects. Our fully integrated production process allows us to oversee every phase, from raw materials to the completed profile. This level of control enables us to deliver systems that are not only precision-designed and durable but also aesthetically refined, making them perfect for residential homes, commercial buildings, and high-rise developments.

INDEX

CONTENTS	PAGE
TECHNICAL FEATURES	01
SLIDING WINDOWS	
18 mm	02
25 mm	04
26 mm Premium Economic	06
27 mm Euro	08
27 mm Slim	10
29 mm	12
31 mm Gulf	14
35 mm Gulf	16
35 × 75 mm Euro	18
CASEMENT WINDOWS	
40 mm	20
45 mm	22
50 mm	24
CASEMENT DOORS	
50 mm	26
50 mm Sliding & Folding	28

CONTENTS	PAGE
CURTAIN WALL	
38 mm Slim	30
45 mm	32
DOORS	34
LOUVERS	36

TECHNICAL FEATURES

AIR PERMEABILITY

Superior sealing to minimize air leakage, dust, and drafts.

WATER TIGHTNESS

Advanced drainage and sealing systems for reliable monsoon protection.

STRUCTURAL INTEGRITY

Robust construction designed for high impact and structural stability.

WIND LOAD

Engineered to withstand high wind pressures with excellent structural performance.

SOUND INSULATION

Optimized sealing and glazing systems for enhanced noise reduction and comfort.

THERMAL PERFORMANCE

Designed to minimize heat transfer and enhance year-round indoor comfort.




18 MM
SLIDING WINDOWS


An affordable, premium series specially designed for low-rise buildings, offering a refined appearance and reliable performance.




SPS 2047401 0.481 kg/m




SPS 2047402 0.526 kg/m




ART 2029633 0.438 kg/m




SPS 1047399 0.915 kg/m




SPS 1047400 1.055 kg/m




SPS 2047340 0.523 kg/m




ART 2029595 0.427 kg/m




ART 2029596 0.421 kg/m




SPS 1047321 0.425 kg/m




ART 1029594 0.502 kg/m



SPS 1029906 0.539 kg/m



SPS 1029907 0.447 kg/m





SPECIFICATION

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M


PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Handle	SPS 2047401	0.481	0.577	2	1.154
Interlock	SPS 2047402	0.526	0.631	2	1.262
Top/Bottom	ART 2029633	0.438	0.526	2	1.052
3 Track Top	SPS 1047399	0.915	1.098	3	3.294
3 Track Bottom	SPS 1047400	1.055	1.266	1	1.266
					Total 8.028

25 MM
SLIDING WINDOWS


A high-end and slimline aluminium sliding series, compatible with single or double glazing and perfectly suited for bungalows and low-rise buildings.




ART 1029651 0.830 kg/m




ART 1029652 0.396 kg/m




ART 1029653 0.174 kg/m




ART 1029654 0.873 kg/m




ART 2029655 1.492 kg/m




HAD 1034209 0.117 kg/m



ART 1029799 0.492 kg/m





SPECIFICATION

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M


PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Shutter	ART 1029651	0.830	0.996	6	5.976
Interlock Clip	ART 1029652	0.396	0.475	2	0.950
2 Track	ART 1029654	0.873	1.048	4	4.192
Cap	ART 1029653	0.174	0.209	2	0.418
					Total 11.536

26 MM PREMIUM ECONOMIC SLIDING WINDOWS


A premium, economical series for modern residences, combining refined aesthetics and reliable performance.




ART 1029843 0.765 kg/m




ART 1029652 0.396 kg/m




ART 1029844 0.450 kg/m




ART 1029845 0.360 kg/m




ART 1029846 0.849 kg/m



ART 1029847 0.613 kg/m



ART 1029683 0.166 kg/m





SPECIFICATION

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M


PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Shutter	ART 1029843	0.765	0.918	6	5.508
Interlock	ART 1029844	0.450	0.540	2	1.080
2 Track	ART 1029846	0.849	1.019	4	4.076
U Type Track Rail	ART 1029683	0.166	0.199	2	0.398
					Total 11.062

27 MM EURO SLIDING WINDOWS


A high-quality aluminium sliding series, ideal for modern residential and commercial buildings, offering structural strength and sound insulation.




ART 2029624 0.838 kg/m




ART 1029625 0.293 kg/m




ART 1029626 0.907 kg/m




ART 2029627 1.403 kg/m




ART 2029641 1.906 kg/m




ART 1029642 1.370 kg/m




RTU 1020397 0.195 kg/m




RET 1027054 0.433 kg/m




ART 1029746 0.677 kg/m




ART 1029747 0.725 kg/m



ART 1029748 1.133 kg/m



ART 1029908 0.339 kg/m



SPECIFICATION - 27 MM EURO SERIES

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M

PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Shutter	ART 2029624	0.838	1.006	6	6.036
Interlock Clip	ART 1029625	0.293	0.352	2	0.704
2 TRACK	ART 1029626	0.907	1.088	4	4.352
				Total	11.092



SPECIFICATION - 27 MM EURO SERIES - GRILL

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M


PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Shutter	ART 2029624	0.838	1.006	6	6.036
Interlock Clip	ART 1029625	0.293	0.352	2	0.704
Grill Track	ART 1029642	1.370	1.644	4	6.576
Ret Pipe	RET 1027054	0.433	0.520	1	0.520
Round Pipe	RTU 1020397	0.195	0.234	10	2.340
				Total	16.176

27 MM SLIM SLIDING WINDOWS


A high-performance, slim, and aesthetic series, best suited for residential bungalows and premium low-rise buildings.




ART 1029835 0.741 kg/m




ART 1029836 0.768 kg/m




ART 1029837 0.561 kg/m




ART 1029838 1.372 kg/m




ART 1029839 1.176 kg/m




ART 2029915 1.811 kg/m




ART 1029859 0.559 kg/m



ART 1029860 1.054 kg/m



ART 1029840 0.104 kg/m





SPECIFICATION

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M


PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Shutter	ART 1029835	0.741	0.889	6	5.334
SGU Interlock	ART 1029837	0.561	0.673	1	0.673
Reinforcement	ART 1029838	1.372	1.646	1	1.646
2 Track	ART 1029839	1.176	1.411	4	5.644
U Type Track Rail	ART 1029840	0.104	0.125	2	0.250
					Total 13.547

29 MM
SLIDING WINDOWS


A high-performance aluminium sliding system for modern residential and commercial spaces, offering durable, weather-resistant solutions.




ART 1029634 0.974 kg/m




ART 2029635 0.851 kg/m




ART 1029650 0.339 kg/m




ART 1029649 0.978 kg/m




ART 1029662 0.629 kg/m




HAD 1034209 0.117 kg/m




ART 1029864 0.826 kg/m




ART 2029640 1.650 kg/m




ART 1029638 1.097 kg/m




ART 2029639 1.697 kg/m




ART 1029841 1.470 kg/m




ART 1029812 1.192 kg/m




ART 2029813 1.772 kg/m




ART 2029916 1.407 kg/m




ART 1029637 0.175 kg/m




ART 1029661 0.366 kg/m




ART 1029648 0.542 kg/m




ART 1029842 0.427 kg/m




ART 1029840 0.104 kg/m




ART 1029683 0.166 kg/m




ART 2029917 1.974 kg/m




RTU 1020397 0.195 kg/m




ART 1029423 0.309 kg/m




ART 1029798 0.108 kg/m



ART 1029918 0.915 kg/m



ART 2029919 1.223 kg/m





SPECIFICATION - 29 MM EURO SERIES

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M

PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILE	NET WEIGHT
Shutter	ART 1029634	0.974	1.169	6	7.014
Interlock Clip	ART 1029650	0.339	0.407	2	0.814
2 TRACK	ART 1029638	1.097	1.316	4	5.264
Cap	ART 1029637	0.175	0.210	2	0.420
				Total	13.512

SPECIFICATION - 29 MM EURO SERIES SLIM

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M

PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Shutter	ART 1029634	0.974	1.169	4	4.676
Slim Interlock	ART 1029648	0.542	0.650	1	0.650
2 TRACK	ART 1029638	1.097	1.316	4	5.264
ReinForce Interlock	ART 1029649	0.978	1.174	1	1.174
Cap	ART 1029637	0.175	0.210	2	0.420
				Total	12.184




31 MM GULF SLIDING WINDOWS


A modern, high-performance aluminium window system for residential and commercial projects, offering sleek aesthetics and lasting durability.




ART 1029783 0.878 kg/m




ART 1029784 0.910 kg/m




ART 1029785 0.630 kg/m




ART 1029786 1.035 kg/m




ART 1029787 0.857 kg/m




ART 1029788 0.868 kg/m




ART 1029789 0.556 kg/m




ART 1029790 0.967 kg/m




ART 2029791 1.569 kg/m




ART 2029792 2.245 kg/m




ART 1029793 0.902 kg/m




ART 2029794 1.426 kg/m




ART 2029795 1.288 kg/m




ART 1029796 0.195 kg/m




ART 1029797 0.400 kg/m





ART 1029798 0.108 kg/m



ART 1029683 0.166 kg/m








35 MM GULF SLIDING WINDOWS


A heavy-duty, sleek aluminium sliding system for residential and commercial spaces, offering strength and durability.




ART 1029677 0.970 kg/m




ART 2029675 0.683 kg/m




ART 1029676 0.644 kg/m




ART 1029678 1.247 kg/m




ART 1029680 1.039 kg/m



ART 1029679 1.201 kg/m




ART 2029681 1.779 kg/m




ART 1029682 0.234 kg/m


ART 1029683 0.166 kg/m




ART 2029711 0.776 kg/m




ART 1029798 0.108 kg/m




ART 1029796 0.195 kg/m





ART 1029712 1.552 kg/m



ART 3029713 2.492 kg/m









SPECIFICATION

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M


PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Shutter	ART 1029677	0.970	1.164	4	4.656
Slim Interlock	ART 1029676	0.644	0.773	1	0.773
2 TRACK	ART 1029712	1.552	1.862	2	3.724
ReinForce Interlock	ART 1029678	1.247	1.496	1	1.496
Cap	ART 1029683	0.166	0.199	2	0.398
Glass Reduce	ART 1029682	0.234	0.281	2	0.562
Side Track Gulf	ART 1029679	1.201	1.441	2	2.882
				Total	14.491

35 x 75 MM EURO SLIDING WINDOWS


A premium, heavy-duty aluminium sliding system for high-end residential and commercial projects, offering strength and refined aesthetics.




ART 1029804 1.202 kg/m




ART 1029805 1.155 kg/m




ART 1029806 1.179 kg/m




ART 1029807 1.134 kg/m




ART 1029808 0.694 kg/m




ART 1029809 0.650 kg/m




ART 1029810 1.368 kg/m




ART 2029811 2.073 kg/m





ART 1029683 0.166 kg/m



ART 1029798 0.108 kg/m







SPECIFICATION

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M


PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Shutter	ART 1029804	1.202	1.442	6	8.652
Slim interlock	ART 1029808	0.694	0.833	1	0.833
Reinforcement	ART 1029806	1.179	1.415	1	1.415
2 TRACK	ART 1029810	1.368	1.642	4	6.568
U Type Track Rail	ART 1029683	0.166	0.199	2	0.398
				Total	17.866

40 MM
CASEMENT WINDOWS


A slim, durable aluminium casement system offering high weather resistance, modern aesthetics, and lasting performance.




ART 2029628 0.723 kg/m




ART 1029629 0.613 kg/m




ART 1029632 0.789 kg/m




ART 1029630 0.223 kg/m




ART 1029631 0.223 kg/m




ART 2029643 1.410 kg/m




ART 1029644 1.203 kg/m




ART 1029645 0.957 kg/m




ART 2029646 1.570 kg/m




ART 1029647 1.446 kg/m




ART 2029909 0.603 kg/m




ART 1029910 0.730 kg/m




ART 2029911 0.536 kg/m




ART 1029912 0.729 kg/m



ART 1029913 0.651 kg/m



ART 1029914 0.242 kg/m





SPECIFICATION - CASEMENT WINDOW 40 MM SERIES

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M

PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
Frame	ART 1029629	0.613	0.736	4	2.944
Mullion	ART 1029632	0.789	0.947	1	0.947
Shutter	ART 1029645	0.957	1.148	4	4.592
				Total	8.483

SPECIFICATION - CASEMENT WINDOW 40 MM GRILL SERIES

WINDOW SIZE: WIDTH 1.2 M × HEIGHT 1.2 M


PROFILE NAME	SECTION NO.	KG/METER	WEIGHT	NO. OF PROFILES	NET WEIGHT
2 IN 1 Frame	ART 1029644	1.203	1.444	4	5.776
Mullion	ART 1029647	1.446	1.735	1	1.735
Shutter	ART 1029645	0.957	1.148	4	4.592
Round Pipe	RTU 1020397	0.195	0.234	12	2.808
				Total	14.911

45 MM
CASEMENT WINDOWS


A durable aluminium casement system for premium residential and commercial buildings, offering modern aesthetics.




ART 1029832 1.298 kg/m




ART 1029833 1.147 kg/m



ART 2029834 1.604 kg/m






50 MM
CASEMENT WINDOWS


A premium aluminium casement window system offering enhanced structural strength and weather resistance for modern buildings.




ART 1029656 1.030 kg/m




ART 1029657 0.821 kg/m




ART 1029658 0.273 kg/m



ART 2029660 0.319 kg/m



ART 1029659 1.161 kg/m






50 MM CASEMENT DOORS


A premium aluminium casement door system offering structural strength, durability, and weather resistance for modern buildings.




ART 2029750 1.445 kg/m




ART 2029752 1.430 kg/m




ART 1029751 0.228 kg/m




ART 1029753 0.283 kg/m




ART 1029754 1.086 kg/m




ART 1029749 0.520 kg/m



ART 1029755 0.701 kg/m






50 MM SLIDING & FOLDING CASEMENT DOORS


A premium aluminium sliding and folding door system offering enhanced structural strength and weather resistance for modern buildings.




ART 2029800 1.027 kg/m




ART 1029801 0.865 kg/m




ART 2029802 2.824 kg/m




ART 2029803 1.159 kg/m




ART 1029751 0.228 kg/m



ART 2029660 0.319 kg/m



ART 1029658 0.273 kg/m






38 MM SLIM CURTAIN WALL


A lightweight, slim curtain wall system designed for modern architecture, offering enhanced durability and a refined appearance.




ART 1029848 1.111 kg/m




ART 2029849 1.700 kg/m




ART 1029850 0.302 kg/m




ART 1029851 0.375 kg/m



ART 1029852 0.832 kg/m



ART 1029853 0.279 kg/m








45 MM
CURTAIN WALL


A sleek curtain wall system suited for modern residential and commercial buildings, offering durability and refined aesthetics.




ART 1029686 1.039 kg/m



ART 2029685 0.383 kg/m



ART 1029684 0.255 kg/m






DOORS


Strong, lightweight, and low-maintenance aluminium doors designed for modern residential and commercial buildings, offering durability and refined aesthetics.




ART 1029729 0.950 kg/m




ART 1029730 1.191 kg/m




ART 1029731 0.932 kg/m




ART 1029737 0.682 kg/m




ART 1029756 0.735 kg/m




ART 1029734 0.853 kg/m




ART 1029736 1.122 kg/m




ART 1029738 0.900 kg/m




ART 1029735 0.779 kg/m




ART 1029732 1.125 kg/m




ART 2029733 1.366 kg/m




ART 1029739 0.681 kg/m



ART 1029740 0.902 kg/m



ART 1029741 0.096 kg/m




LOUVERS


Lightweight aluminium louvers designed for effective ventilation, sun shading, and enhanced building aesthetics with lasting durability.




ART 1008074 1.044 kg/m




ART 2029159 1.763 kg/m




ART 3029146 2.176 kg/m




ART 2007823 0.921 kg/m




ART 1029096 0.738 kg/m




ART 2008013 0.697 kg/m




ART 1029033 0.378 kg/m




ART 1029147 0.745 kg/m



ART 1007825 0.262 kg/m



ART 2007709 0.850 kg/m



NOTES:

More Than

58 Years of Excellence

Banco Aluminium Private Limited
Padra Road, Near Bhaili Railway Station,
Bil, Vadodara, Gujarat 391410
Phone: +91 265 2477439 / 445
E-mail: ajit@bancoaluminium.com
Web: bancoaluminium.com